Scott. II–48—34,846—29-1-23.

P W (1922) Department

M — SERIES.

G.O. No. 1038 P W
1038

DATED 21 — 10 — 22

[Despatch Abstract.]

G.F. 51.

~~P.W.D. (General) Buildings &~~ Revenue Roads / DEPARTMENT.



In future letters, please quote No. dated and short title *

Rec'd ..... Enclosures.

Reg'd ..... Spare copies .....

Telephone No.
Post Box No.
Telegraphic Address:

Ref. C.4486/22-A-2. Dated 13th July 1922. 192

From (Name) A.C. Duff Esquire I.C.S.

(Designation) Collector of

(Address) Bellary.

To The Secretary to Government

P.W.D. General Buildings & Roads,

Madras.

Sir,

I request that the Bellary Taluk office where in is located the Bellary Taluk Police station may be brought on to the telephone system as early as possible.

K.K.R. 14-7-22.

For Dt. Magistrate.

DESPATCHED
15 JUL 922

From No. 2148 AC-2

Dated 30-8-22

To

The Director Telegraph Engineering
Chem. circle, Madras

Sir

The Collector of
Bellary requests that the
Bellary Taluk office where
located the Bellary Taluk Police
station should be brought
on to the Telephone system
at the place I am directed
to enquire what the rent
charge for the proposed connection
will be.

28.8.22

28-8-22

ID

30.8.22

D 31/8/22

C.D. 20.

POSTS AND TELEGRAPHS.

(Telegraph Engineering.)

FROM
SECTION
29SEP1922
CURRENT NUMBER
3061

THE DIRECTOR,

TELEGRAPH ENGINEERI

Southern CIRCLE,

To

The Secretary to the Government of Madras,
Public Works Department, Madras.

No. 172/29, dated at Madras the 19th September 1922.

Sir,

Reference: Your letter No.2148 Ac-2 dated the 30-8-1922.

Re: Telephone connection to Bellary Taluk Office.

The annual rental from the Bellary Telephone Exchange to the Taluk Office will be Rs.192-14-0

I have the honour to be,
Sir,
Your most obedient servant,

Director, Telegraph Engineering,
Southern Circle.

Lal Chand & Sons—3983—29-3-22—25,000.

Telephone - Bellary Taluk office

Cro 2148 Ack From Kr colly of Bellary Ref C4486/22-A2
dt. 13-7-22

DS

The remarks of Jud and Revenue may in the first instance be invited on the Collrs proposal

AS
21-7-22
Nato
21-7-22

C.S.N
25/7

27 JUL 1922
CHIEF SECY

[illegible]

cro 2148 Ac-1
25.7.22
DCA
25/7
Jud 4931

UNDER SECY TO GT
8 AUG 1922
REVENUE DEPT

REGISTERED
940C
3.8.22

Jud 4931
2.8.22
C

Ag
3.8.22

Ag
The Collector's proposal may be supported in this dept and the file passed on to Rev. It seems unnecessary to consult the Sp. of Police ~~as he will have only to object to have telephonic connection in the building~~

DRA
2.8.22
DRA
8/7

Rev
8/7

Rev to
Rev Dept

To under Secy

Presumably there is already a telephonic exchange at Bellary. The

There is no information in this dept

Collr's proposal to connect the Taluk Office with the system may be supported in this dept and the file returned to PWD

10-8-22 11.8

12822

15/8

P. W.

Kemp 2940 C/ 15-8-

DI

Apparently the Dist magistrate wants that the Taluk office at Bellary should be connected with the central exchange at the place; but he does not say so

SECTION
16 AUG 1922
CURRENT NUMBER
2549

DCH 6/8

Rs 192-14-0 reported on 19/9/--

2 There is no information as to what the rental for the proposed connection would be. The Director Telegraph Engineering may be requested to furnish this information. A draft letter is submitted

C.T.I.I 24/8

29.8.22 Addl 29-8-22

Letter to the Director, Tel Engg 2148 Ac-2 d. 30.8.22 fr 2 cf

CR 0 2549 Action thereon - do - 172/29 dated 19.9.22 fr 3 cf

DI

A draft order sanctioning the connection is submitted which

may be sent to Revenue & Jud & Finance Depts for acceptance prior to circulation to C. From the notes of the Jud & Revenue Depts above it would seem that the Cost of the installation will be met by the Revenue Dept only

K

Ker 28/9

Rule 28.9.22

C.T.U 30/9

DEPT 1922

Jud 6569

7 OCT 1922

Pwrco 2148Ac-3 2.10.22

Judicial Dept.

The draft order may be accepted and the case passed on to Rev.

BDR 5-10-22

Rw

Rev w

judl no 6569-1 6.10.22

Rev Dept

REVENUE-D 3878 9.X.22

To under Sec

©S.R 254A 91 C022

The draft order may be accepted in this Dept and the file passed on to Finance.

Remp 3878 C/22-1 10-10-1922

9-10-22 9-10-22

Rw

DRC

~~The draft order may be accepted in this department. The annual recurring expenditure to be Rs 192-14-0 p.a.~~

On / In the Collector's letter on page 1 of detailed reasons have not been given showing the necessity for the immediate installation of the new telephone connection proposed by him. In view of the present financial position, it is for consideration whether P.W.D. should be requested to call for these reasons before the proposal involving an Extra cost of Rs 192-14-0 per annum (1-3 of) is sanctioned. If however it is considered that this is unnecessary the draft may be accepted

11.X.22 accepted 12X22

12/10/22

P.W.D

~~Draft~~ C.S.R.No. 2546(A-1) 10.22 ~~P.W.D. No. 40 (C. No. 113. 22) Kanpur 3 Oct~~

AC SECTION
14 OCT 1922
CURRENT NUMBER
3360

P.W.D

14.10.22

DS

The Case may now be ~~forwarded~~ circulated to C. ~~for~~

C.T.1 16/10

~~Draft~~ Noted 16.10.22

G

Box No. 24 17/10

Shown 17/10

I think it would be well if P.W.D. would get a complete list of all Telephone exchanges and Gol. connections with them as we seem to be much in the dark about many of these cases.

I attach the formal draft

8

18.10.22

S/AS/US. (orders may be issued first & action further taken)

Title 20.10.22

some Mdl. Prot. Then get list referred to at A/ & C/ note above WH 21.10

P4 CF

Receipt from the Despr. Order issued as Go. 1038 w.d. 21-10-22 on 1-11-22

DS

With reference to C's note at A above a draft letter to the Director Tel Engg is submitted

C.T.A 1.11.22

Well 1-11-22

Title 1-11-22

Scott. II-10 (a)—48,962—2-2-22. (v)

P W DEPARTMENT.

	Date.	Initials.
When received for Fair-copying.		
When copied ..		
When examined ..		
When signed ..		
When despatched ..		

READ AGAIN G.O. No. ....., dated 192

" " " ..... " 192

READ ALSO:—

P No. 3044Ac / 1148Ac From the Collector of Bellary No. 4486 / 22 A-2 Ref C, dated 13-7-1922

Letter to the Director Tel Engg 2148 Ac-2 d 30.8.22

" " 3061Ac " From ~~A.D.~~ " 172 / 29 " 19-9-1922

ORDER.

No. 1038 W dated 21-10-1922

Mis

(1) Ref C.

(2) S. Ac for further a

Sanction is accorded to the installation of a telephone connection between the Taluk office at Bellary and the central Exchange

2 The Director, Tel Engineering is requested to for the installation at an early date

To

The Director, Tel Engg & Canals

The Revenue dept

The Journal

The Ag Madras this Fina

FR — D 31/10

[B. G. C]

C.I.A. 30/9

for S